| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| L1 | 17248 | languag$3 near10 translat$5 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 08:57 |
| L2 | 7218431 | select$5 extract$4 elect$4 choos$3 choice chos$4 pick$3 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 08:57 |
| L3 | 5552833 | identif$4 identifies ID variable procedure procedure symbol reference items attributes | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/14 08:58 |
| L4 | 556684 | L2 near5 L3 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/14 08:57 |
| L5 | 5488 | 1 and 4 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/14 08:59 |
| L6 | 183 | 1 near10 4 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/14 08:59 |
| L7 | 449 | 1 same 4 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/14 08:59 |
| L8 | 117 | (@ad<"20001117" or @rlad<"20001117") and 6 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/14 09:32 |
| L9 | 276 | (@ad<"20001117" or @rlad<"20001117") and 7 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/14 09:32 |
| S1 | 1 | @ad<"20001117" and "709".clas. and (accelerat$5 or speed) and (convert$3 or translat$5) and (group near5 categor$5) and extract and schedule$5 and (table or field or list or database) and sync$6 | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2004/09/06 10:16 |
| S2 | 6 | @ad<"20001117" and (accelerat$5 or speed) and (convert$3 or translat$5) and (group near5 categor$5) and extract and schedule$5 and (table or field or list or database) and sync$6 | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2004/09/06 10:26 |
| S3 | 1 | @ad<"20001117" and (convert$3 or translat$5) and (group near10 categor$5) and (extract near10 message) and schedule$5 and (table or field or list or database) and sync$6 | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/19 10:11 |
| S4 | 4 | @ad<"20001117" and (convert$3 or translat$5) and (group near10 categor$5) and (extract near10 message) and schedule$5 and (table or field or list or database) | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/13 14:09 |

| S5 | 29 | (convert$3 or translat$5) and (group same categor$5) and (extract same message) and schedule and (table or field or list) | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2004/09/06 13:13 |
|---|---|---|---|---|---|---|
| S6 | 23092 | @ad<"20001117" and (different near10 language) and database or "data store" | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/13 14:10 |
| S7 | 552 | @ad<"20001117" and (different near10 language) and (database or "data store" )and translate | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/13 14:10 |
| S8 | 228 | @pd<"20001117" and (different near10 language) and (database or "data store" )and translate | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/13 15:30 |
| S9 | 2 | "6285878".pn. | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/14 14:07 |
| S10 | 4384 | @ad<"20010831" and optimiz$5 near10 storage | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/14 14:41 |
| S11 | 117 | @ad<"20010831" and utiliz$3 near5 level and (optimiz$5 near10 storage) | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/14 14:08 |
| S12 | 10 | @ad<"20010831" and (utiliz$3 near5 level) and (optimiz$5 near10 storage) same (move or shift or shuffle) | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/14 14:11 |
| S13 | 1 | @ad<"20010831" and (optimiz$5 near10 storage) same (move or shift or shuffle) same (usage or metric) | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/14 14:12 |
| S14 | 51 | @ad<"20010831" and (optimiz$5 same storag$3) same (mov$3 or shift$3 or shuffl$4 or placement$2 or balanc$3 or rebalanc$3 or (re adj2 balanc$3)) same (usage or metric$2 or popular$5) | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/14 14:41 |
| S15 | 51 | @ad<"20010831" and (optimiz$5 same storag$3) same (mov$3 or shift$3 or shuffl$4 or placement$2 or balanc$3 or rebalanc$3 or (re adj2 balanc$3)) same (usage or metric$2 or popular$5) | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/14 14:58 |
| S16 | 1842 | @ad<"20010831" and (storag$3) same (mov$3 or shift$3 or shuffl$4 or placement$2 or balanc$3 or rebalanc$3 or (re adj2 balanc$3)) same (usage or metric$2 or popular$5) | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/14 14:59 |
| S17 | 430 | @ad<"20010831" and (storag$3) same (mov$3 or shift$3 or shuffl$4 or placement$2 or balanc$3 or rebalanc$3 or (re adj2 balanc$3)) near10 (usage or metric$2 or popular$5) | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/14 14:59 |
| S18 | 430 | @ad<"20010831" and storag$3 same ((mov$3 or shift$3 or shuffl$4 or placement$2 or balanc$3 or rebalanc$3 or (re adj2 balanc$3)) near10 (usage or metric$2 or popular$5)) | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/14 14:59 |
| S19 | 1 | @ad<"20010831" and NAS same ((mov$3 or shift$3 or shuffl$4 or placement$2 or balanc$3 or rebalanc$3 or (re adj2 balanc$3)) near10 (usage or metric$2 or popular$5)) | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/14 15:00 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S20 | 430 | @ad<"20010831" and storage same ((mov$3 or shift$3 or shuffl$4 or placement$2 or balanc$3 or rebalanc$3 or (re adj2 balanc$3)) near10 (usage or metric$2 or popular$5)) | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/14 15:00 |
| S21 | 388 | @ad<"20010831" and storage same ((mov$3 or shift$3 or shuffl$4 or balanc$3) near10 (usage or metric$2 or popular$5)) | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/14 15:01 |
| S22 | 190 | @ad<"20010831" and storage near10 ((mov$3 or shift$3 or shuffl$4 or balanc$3) near10 (usage or metric$2 or popular$5)) | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/14 15:01 |
| S23 | 190 | @ad<"20010831" and storage near10 ((mov$3 or shift$3 or balanc$3) near10 (usage or metric$2 or popular$5)) | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/14 15:01 |
| S24 | 167 | @ad<"20010831" and storage near10 ((mov$3 or balanc$3) near10 (usage or metric$2 or popular$5)) | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/14 15:01 |
| S25 | 29 | @ad<"20010831" and storage near10 (balanc$3) near10 (usage or metric$2 or popular$5) | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/14 15:06 |
| S26 | 162 | @ad<"20010831" and storage near10 (mov$3) near10 (usage or metric$2 or popular$5) | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/14 18:23 |
| S27 | 2 | "20010027491" | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/16 09:00 |
| S28 | 0 | "6801929.pn." | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/16 09:01 |
| S29 | 2 | "6801929".pn. | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/16 10:43 |
| S30 | 0 | 20010056492b | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/16 10:43 |
| S31 | 3 | "20010056492" | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/16 10:43 |
| S32 | 12 | @ad<"20001117" and (scheduler same extract) same storage | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/19 10:13 |
| S33 | 8 | @ad<"20001117" and (scheduler same extract) same storage and convert$4 | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/19 10:14 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S34 | 17 | @ad<"20001117" and (scheduler same extract$5) same storage and convert$4 and extract$5 | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/19 10:22 |
| S35 | 164 | @ad<"20001117" and scheduler and extract$5 same (word$2 or phrase$2) and convert$4 and extract$5 | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/19 10:22 |
| S36 | 44 | @ad<"20001117" and scheduler and (extract$5 near10 (word$2 or phrase$2)) and convert$4 and extract$5 | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/19 10:23 |
| S37 | 18 | @ad<"20001117" and scheduler and (extract$5 near10 (word$2 or phrase$2)) and convert$4 and extract$5 and ((word$2 or phrase$2) same (identical or similar)) | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/19 13:52 |
| S38 | 7 | @ad<"20001117" and scheduler same (accelerat$5 or speedup or speed) near10 analysis | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/19 14:01 |
| S39 | 51 | @ad<"20001117" and (schedule$5 near10 game) and translat$5 | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/19 14:02 |
| S40 | 42 | @ad<"20001117" and (schedule$5 near10 game) and translat$5 and (categori$5 or group or classif$5) | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/19 14:03 |
| S41 | 33 | @ad<"20001117" and (schedule$5 near10 game) and translat$5 and (categori$5 or group or classif$5) and (identif$5 or index$3) | US-PGPUB; USPAT; EPO; DERWENT | OR | OFF | 2005/05/19 14:04 |
| S42 | 2 | "20030046317" | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/09 13:00 |
| S43 | 0 | "200402436040" | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/09 13:01 |
| S44 | 0 | "200402436040" | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/09 13:01 |
| S45 | 2 | "20040243640" | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/09 13:24 |
| S46 | 2 | "20030056026" | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/09 14:06 |
| S47 | 888714 | translat$5 restate rendered interpretation transcribe reposition transform | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/12 13:52 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S48 | 4008588 | languag$3 object word$3 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 08:50 |
| S49 | 36591 | S47 near4 S48 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/12 13:53 |
| S50 | 7216229 | select$5 extract$4 elect$4 choos$3 choice chos$4 pick$3 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 08:51 |
| S51 | 5550367 | identif$4 identifies ID variable procedure procedure symbol reference items attributes | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/12 13:56 |
| S52 | 556283 | S50 near5 S51 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/12 13:57 |
| S53 | 355 | S49 with S52 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/12 13:58 |
| S54 | 289 | S49 near10 S52 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/12 13:58 |
| S55 | 796 | S49 same S52 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/12 13:58 |
| S56 | 253 | (@ad<"20010831" or @rlad<"20010831") and S53 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/12 14:04 |
| S57 | 213 | (@ad<"20001117" or @rlad<"20001117") and S53 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/12 14:04 |
| S58 | 167 | (@ad<"20001117" or @rlad<"20001117") and S54 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/12 14:04 |
| S59 | 475 | (@ad<"20001117" or @rlad<"20001117") and S55 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/14 09:00 |
| S60 | 17248 | languag$3 near10 translat$5 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 08:50 |

| S61 | 7218431 | select$5 extract$4 elect$4 choos$3 choice chos$4 pick$3 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 08:51 |
|-----|---------|--------------------------------------------------------|----------------------------------------|----|-----|------------------|
| S62 | 5552833 | identif$4 identifies ID variable procedure procedure symbol reference items attributes | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/14 08:51 |
| S63 | 556684 | S61 near5 S62 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/14 08:51 |
| S64 | 556684 | S63 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 08:53 |
| S65 | 5488 | S63 and S60 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 08:54 |